



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBEM622V4008101-11
Job Sheet 191091



Part No: RBEM622V4008101-11

Job Qty: 1 pcs

Part Name: Fastener



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/21/19

Job Tracking No:

Due Date: 2/25/19

Created By: Jason Leroux

Type: Stock

Description:

Note: DWG RBEM622V4008101 Rev. D IPP Rev. A 18.05.18 new issue DP Verify DD/IPP Rev. B 19.02.20 drawing revision DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
120	SL-2500Y - 1	1 pcs	2/25/19	2/25/19	0.00	0.50	SL-2500Y - 1		DAS 56 9-89 2019-02-21
130	QC 2	1 pcs	2/25/19	2/25/19	0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 54		
							QC 2 - 56		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		

Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON K6A 1K7
Tel: 1 (613) 632-5200
Email: sales@dartaero.com
www.dartaero.com

DART
AEROSPACE
Container No: S155564
Part: RBEM622V4008101-11
Job No: 191091
Serial No/Batch: S155564
Revision: D
Inspector: D
Exp Date:
Instructions:

Date: 02/21/19

Plex 2/21/19 11:05 AM dart.leroux.jason

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

140 QC 8	1 pcs	2/25/19	0.00 0.00	QC 2 - 66	
				QC 2 - 64	
				QC 8 - 12	
				QC 8 - 14	
				QC 8 - 17	
				QC 8 - 20	
				QC 8 - 25	
				QC 8 - 3	
				QC 8 - 32	
				QC 8 - 33	
				QC 8 - 35	
				QC 8 - 39	
				QC 8 - 4	
				QC 8 - 44	
				QC 8 - 45	
				QC 8 - 49	
				QC 8 - 58	
				QC 8 - 8	
				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
150 Packaging 3-1 - Stock - B4B	1 pcs	2/25/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	

DAS
28
9-89

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor		
			QC / QA Coordinator		
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

DAS
21 FEB 25 2019

160 QC 21 - SA	1 pcs	2/25/19	0.00 0.00	QC 21 - SA - 21	
				QC 21 - SA - 70	
				QC 21 - SA - 53	

Part Op 120 - MORI SL2500Y LATHE - 1-Machine as per folio FC190 FOLIO REV: _____ DWG REV: _____ 2-

Descriptions: Deburr

130 - QC2- Inspect parts off machine FAI/FAIB

140 - QC8- Inspect parts - second check

150 - Identify as per dwg & Stock Location: _____

160 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M303R2.500	303 Round Bar 2.5"	.7040 ft (.704 ea)	120-SL-2500Y - 1	5098042

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
120-SL-2500Y - 1	M303R2.500	1	2	0

Part Specifications

Specifications could not be found.

Plex 2/21/19 11:05 AM dart.leroux.jason

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____


Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



REVISIONS				DATE	INITIAL
REV	ECR	DESCRIPTION			
2	16-0173	-11 CH'D MATERIAL WAS A36/1018/1020 HR IS STRESSPROOF, CH'D DIM WAS Ø2.165 IS Ø2.165 +.000/-0.010, ADDED BREAK EDGE NOTE, ADDED ENGRAVE P/N.		10/17/2016	RJC
3	17-0071	-11 REMOVED DIM Ø2.165 +.000/-0.010, 60°, .190, Ø2.087, .03 X 45°, CH'D DIM WAS Ø.551 +.000/-0.005 IS Ø.551 ±.003, WAS Ø.638 IS Ø.627/.625; ADDED DIM 2 1/16 - 16 UNF - 2A; REMOVED NOTE 'BREAK EDGE'; ADDED NOTE 'THREAD RELIEF'; CH'D MATL WAS STRESSPROOF IS 303 S.S.; REMOVED FINISH AND SPEC.		3/23/2017	SM
D		DIMENSION .551 +/- .003 REMOVED, DIMENSION .627/.625 CHANGED FOR .624/.622 2PL		2/20/2019	VMA



(-11)
FASTENER 1

DART AEROSPACE	
TITLE MRH DAMPER SETTING TOOL	
DWG NO. RBEM622V4008101-11	
MATL 303 S.S.	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	XXX ± .005 FRACTIONS
FINISH	.XX ± .01 ANGLES
SPEC	X ± .1 SURFAC
DRAWN BY: MACKOVJAK	1. BREAK ALL SHARP EDGES!
CHECKED: CLOUGH	.015 X 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APP
QA APPR: LINDSAY	AFTER PLATING
APPROVED: W	3. INTERPRET DIM AND TOL.
SCALE N/A	ASME Y14.5M-2009
DATE 3/3/2016	USED ON MOD H175
SHEET 1	

